



OVH-10



PO-VH



FSH-2



FSH-2A-99



FSH-3.5&4



FSH-5&6

Ventless Hoods (Recirculating Systems)

Model	Width	Depth	Height	Shipping Weight	Electrical Specs	How To Specify	Price
OVH-10 OVH-10-UV	36" 915 mm	40 9/16" 1030 mm	21 5/16" 542 mm	222 lbs 101 kg	208/240V 2 Amps 1 Phase	Consult factory for approved applications	\$5,933.00 \$6,798.00
PO-VH PO-VH-UV	60 7/16" 1535 mm	41 5/8" 1058 mm	24 13/16" 630 mm	335 lbs 177 kg	208/240V 5 Amps 1 Phase	Consult factory for approved applications	\$6,619.00 \$7,484.00
FSH-2 FSH-2-UV	29 11/16" 754 mm	30 1/4" 768 mm	83 3/4" 2128 mm	447 lbs 202 kg	208/240V 5 Amps 1 Phase	Consult factory for approved applications	\$11,415.00 \$12,280.00
FSH-2A99 FSH-2A99-UV	29 11/16" 754mm	38 3/4" 984mm	98 1/2" 2503 mm	535 lbs 243 kg	208/240V 5 Amps 1 Phase	Consult factory for approved applications	\$15,051.00 \$15,916.00
FSH-3.5 w/72" stand w/78" stand	42-11/16" [1084 mm]	49-11/16" [1263 mm]	76-5/16" [1938 mm] 111-3/8" [2829 mm] 117-3/8" [2981 mm]	520 lbs [236 kg] 560 lbs [254 kg] 590 lbs [268 kg]	208/240V 8 Amps 1 Phase	Consult factory for applications: Specify: > Ceiling Mount > 72" Stand > 78" Stand	\$17,498.00
FSH-4 w/72" stand w/78" stand	48" [1219 mm]	49-11/16" [1263 mm]	76-5/16" [1938 mm] 111-3/8" [2829 mm] 117-3/8" [2981 mm]	550 lbs [249 kg] 590 lbs [268 kg] 620 lbs [281 kg]	208/240V 8 Amps 1 Phase	Consult factory for applications: Specify: > Ceiling Mount > 72" Stand > 78" Stand	\$18,108.00
FSH-5 w/72" stand w/78" stand FSH-5-UV	60 1/2" [1537 mm]	49 5/8" [1260 mm]	75" [1905 mm] 109-1/4" [2775 mm] 115-1/4" [2927 mm]	664 lbs [302 kg] 714 lbs [324 kg] 744 lbs [337 kg]	208/240V 7 Amps 1 Phase	Consult factory for applications: Specify: > Ceiling Mount > 72" Stand > 78" Stand	\$19,146.00 \$20,876.00
FSH-6 w/72" stand w/78" stand FSH-6-UV	72 11/16" [1855 mm]	49 5/8" [1260 mm]	75" [1905 mm] 109-1/4" [2775 mm] 115-1/4" [2927 mm]	733 lbs [353 kg] 783 lbs [355 kg] 813 lbs [369 kg]	208/240V 7 Amps 1 Phase	Consult factory for applications: Specify: > Ceiling Mount > 72" Stand > 78" Stand	\$19,787.00 \$21,517.00

Giles Foodservice Equipment

ISO 9001 Registered Company • Committed to Quality
 2750 Gunter Park Drive West • Montgomery, AL 36109 USA
 Phone 334.272.1457 • Fax 334.239.4117 • Phone Toll Free 800.554.4537
 Web Site: www.gfsequipment.com • Email: services@gfsequipment.com

We reserve the right to change specifications and/or product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.

Environmental Hoods (Non-Recirculating Systems)



EH-5&6

Model	Width	Depth	Height	Shipping Weight	Electrical Specifications	How to Specify	Price
EH-5 EH-5-UV 	60 11/16" 1547 mm	42 1/8" 1071 mm	33" min 838 mm 42" max 1067 mm to cooking surface	664 lbs 302 kg	208/240V 8/8 Amps 1 Phase	Consult factory for application	\$15,946.00 \$17,676.00
EH-6 EH-6-UV 	72 11/16" 1846 mm	42 1/8" 1071 mm	33" min 838 mm 42" max 1067 mm to cooking surface	664 lbs 302 kg	208/240V 8/8 Amps 1 Phase	Consult factory for application	\$16,667.00 \$18,397.00

Gas Fryers



GGF-Series

Model	Width	Depth	Height	Shipping Weight	Electrical Specs	Capacity	How to Specify	Price
GGF-400	24-3/8" 619 mm	42-1/8" 1070 mm	44-1/8" 1120 mm	390 lbs. 177 kg	120/60/1 7A 208-230/60/1 4A	14 lbs./6 kg Chicken (Approx. 40 pcs) 45 lbs/21 kg Shortening	Medium open gas fryer 45,000 BTU	\$16,131.00
GGF-720	24-3/8" 619 mm	42-1/8" 1070 mm	44-1/8" 1120 mm	390 lbs. 177 kg	120/60/1 7A 208-230/60/1 4A	24 lbs./11 kg Chicken (Approx. 72 pcs) 75 lbs/34 kg Shortening	Large open gas fryer 85,000 BTU	\$17,092.00

Multi Purpose Fryers



WOG-20MP



WOG-MP

Model	Width	Depth	Height	Shipping Weight	Electrical Specs	Capacity	How To Specify	Price
WOG-20MP	18 1/8" 461mm	27 1/2" 699mm	44 1/4" 1124mm	283 lbs 128 kg	208/220/240V 50 or 60 Hz 5,335 Watts 1Ph 29/27/25 A	25 lbs of Shortening 12 kg	Small Open Fryer	\$9,582.00
WOG-MP Mechanical or Computer Control	24" 610mm	32 5/16" 821mm	45 3/4" 1162mm	335 lbs 152 kg	208/220/240/380/415V 50 or 60 Hz 20,400 Watts 3Ph 208/220/240/380 415V- 58/53/50/30/28A	70 lbs of Shortening 32 kg	Large Open Fryer	\$13,709.00 Mechanical \$14,648.00 Computer

Giles Foodservice Equipment

ISO 9001 Registered Company • Committed to Quality

2750 Gunter Park Drive West • Montgomery, AL 36109 USA

Phone 334.272.1457 • Fax 334.239.4117 • Phone Toll Free 800.554.4537

Web Site: www.gfsequipment.com • Email: services@gfsequipment.com

We reserve the right to change specifications and/or product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.

Printed in U.S.A. (07/21/10) Form 65757

Fryers



* EOF 20/FFLT/24



* EOF 20/FFLT/24/24



* EOF 10-10/FFLT/24/24



GEF-Series

Model	Width	Depth	Height	Shipping Weight	Electrical Specs	Capacity	How To Specify	Price
EOF/FFLT/14 (Not Shown)	30-3/4" 781 mm	34" 864 mm	46" 1168 mm	462 lbs 212 kg	(EOF-14) 208V, 3-Ph (52 Amps) 240V 3-Ph (46 Amps) 480V 3-Ph (25 Amps)	(EOF-14) Shortening per fryer 50 lbs 23 kg	Medium Single Banked Fryer w/ Landing Table	\$25,414.00 (208/240V) \$25,668.00 (480V)
EOF-20/20 (Not Shown)	42 1/2" 1080 mm	42 5/8" 1083 mm	48 3/4" 1239 mm	884 lbs 401 kg	(EOF-20) 208V, 3-Ph (76 Amps) 240V, 3-Ph (66 Amps)	(EOF-20) Shortening per fryer 115 lbs 52 kg	Large 2 Banked Fryer w/o Landing Table	\$26,902.00 (208/240V)
EOF-20 FFLT/24	73 1/2" 1867 mm	42 5/8" 1083 mm	48 3/4" 1239 mm	1069 lbs 485 kg	(EOF-24) 208V, 3-Ph (100 Amps) 240V, 3-Ph (87 Amps) 480V, 3-Ph (43 Amps)	(EOF-24) Shortening per fryer 170 lbs 77 kg	Large 2 Banked Fryer w/Landing Table	\$29,926.00 (208/240V) \$30,371.00 (480V)
EOF-20/24/24	72" 1829 mm	42 5/8" 1083 mm	48 3/4" 1239 mm	1069 lbs 485 kg	(EOF-24) 208V, 3-Ph (100 Amps) 240V, 3-Ph (87 Amps) 480V, 3-Ph (37 Amps)	(EOF-24) Shortening per fryer 170 lbs 77 kg	Large 3 Bank Fryer w/o Landing Table	\$38,049.00 (208/240V) \$38,429.00 (480V)
EOF-20 FFLT/24/24	98 13/16" 2510 mm	42 5/8" 1083 mm	48 3/4" 1239 mm	1311 lbs 595 kg	(EOF-24) 208V, 3-Ph (100 Amps) 240V, 3-Ph (87 Amps) 480V, 3-Ph (37 Amps)	(EOF-24) Shortening per fryer 170 lbs 77 kg 67 gal	Large 3 Bank Fryer w/Landing Table	\$39,968.00 (208/240V) \$40,385.00 (480V)
EOF-10-10 FFLT/24	73-1/2" 1867 mm	42-5/8" 1083 mm	48-3/4" 1239 mm	1069 lbs 485 kg	(EOF-10-10) 208V, 3-Ph (68 Amps) 240V, 3-Ph (59 Amps) 480V, 3-Ph (31 Amps)	EOF-10-10) Shortening per vat 55 lbs 25 kg	Large 2 Bank Fryer 3 Cook Vats w/Landing Table	\$32,956.00 (208/240V) \$33,195.00 (480V)
EOF-10-10 FFLT/24/24	98-13/16" 2510 mm	42-5/8" 1083 mm	48-3/4" 1239 mm	1311 lbs 595 kg	(EOF-10-10) 208V, 3-Ph (68 Amps) 240V, 3-Ph (59 Amps) 480V, 3-Ph (31 Amps)	(EOF-10-10) Shortening per vat 55 lbs 25 kg	Large 3 Bank Fryer 4 Cook Vats w/Landing Table	\$43,955.00 (208/240V) \$44,368.00 (480V)
GEF-400	25 1/16" 612mm	38 7/8" 988mm	43-7/16" 1104mm	464 lbs 211kg	208/220/240/380/415V 10,000 Watts 50 or 60 Hz 208/240V, 1-Ph (48/42A) 208/240V, 3-Ph (28/24A) 220V, 3-Ph (25A) 380/415V, 3-Ph (14/14A)	45 lbs Shortening 21 kg	Medium Capacity Chicken Fryer	\$13,363.00
GEF-560	25 1/16" 612mm	38 7/8" 988mm	43-7/16" 1104mm	464 lbs 211kg	208/220/240/380/415V 15,000 Watts 50 or 60 Hz 208/240V, 1-Ph (72/63A) 208/240V, 3-Ph (43/38A) 220V, 3 Ph (38A) 380/415V, 3-Ph (21A)	60 lbs Shortening 27 kg	Intermediate Capacity Chicken Fryer	\$14,236.00
GEF-720	25 1/16" 612mm	38 7/8" 988mm	43-7/16" 1104mm	464 lbs 211kg	208/220/240/380/415V 20,400 Watts 50 or 60 Hz 208/240V, 3-Ph (58/49A) 220V, 3-Ph (49A) 380/415V, 3-Ph (28A) 480V, 3-Ph (25A)	75 lbs Shortening 34 kg	Large Capacity Chicken Fryer	\$15,302.00

* Note: Stated power requirements and shortening capacities are for each fry vat in the banked unit. Separate service disconnect is required for each fry vat.

Giles Foodservice Equipment

ISO 9001 Registered Company • Committed to Quality

2750 Gunter Park Drive West • Montgomery, AL 36109 USA

Phone 334.272.1457 • Fax 334.239.4117 • Phone Toll Free 800.554.4537

Web Site: www.gfsequipment.com • Email: services@gfsequipment.com

We reserve the right to change specifications and/or product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.











Ventless Fryers



WOG-MP-VH

GEF-VH Series



Model	Width	Depth	Height	Shipping Weight	Electrical Specifications	Capacity	How to Specify	Price
WOG 20MP-VH	18-1/8" 461 mm	29-5/16" 745 mm	81" 2058 mm	455 lbs 207 kg	208/240V 30/25 Amp 1-Ph Only 6,200 Watts	25 lbs of shortening 12 kg	Small open ventless fryer	\$18,503.00
WOG 20MP-VH-UV 								\$19,368.00 
WOG MP-VH	24-1/8" 613 mm	33-7/16" 849 mm	84" 2133 mm	602 lbs 274 kg	208/240V 3-Ph, 58/50A 50/60 Hz 20,400 Watts	70 lbs of shortening 32 kg	Large, open, ventless fryer	\$21,950.00 Manual Timer
WOG MP-VH-UV 								\$23,346.00 Computer \$22,815.00 Manual Timer \$24,211.00 Computer 
GEF 400-VH	24-1/4" 616mm	41-13/16" 1062mm	84" 2133mm	720 lbs 327 kg	208/220/240 & 380/415V 50/60 Hz 208/240V, 1-Ph (50/44A) 208/240V, 3-Ph (30/26A) 220V, 3-Ph (26A) 380/415V, 3-Ph (15/15A) 10,400 Watts	14lb/6kg of chicken (40 pcs) 45 lbs of shortening 21 kg	Medium Capacity Open Ventless Fryer	\$24,094.00
GEF 400-VH-UV 								\$24,959.00 
GEF 560-VH	24-1/4" 616mm	41-13/16" 1062mm	84" 2133mm	720 lbs 327 kg	208/220/240 & 380/415V 50/60 Hz 208/240V, 1-Ph (75/64A) 208/240V, 3-Ph (44/38A) 220V, 3-Ph (38A) 380/415V, 3-Ph (21/22A) 15,400 Watts	19lb/9kg of chicken (56 pcs) 60 lbs of shortening 27 kg	Intermediate Capacity Open Ventless Fryer	\$24,880.00
GEF 560-VH-UV 								\$25,745.00 
GEF 720-VH	24-1/4" 616mm	41-13/16" 1062mm	84" 2133mm	720 lbs 327 kg	208/220/240 & 380/415V 50/60 Hz 208/240V, 3-Ph (58/56A) 380/415V, 3-Ph (28/28A) 480V, 3-Ph (25A) 20,400 Watts	24lb/11kg of chicken (72 pcs) 75 lbs of shortening 34 kg	Large open ventless fryer	\$26,784.00
GEF 720-VH-UV 								\$27,649.00 

We reserve the right to change specifications and/or product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.

Giles Foodservice Equipment

ISO 9001 Registered Company • Committed to Quality




2750 Gunter Park Drive West • Montgomery, AL 36109 USA

Phone 334.272.1457 • Fax 334.239.4117 • Phone Toll Free 800.554.4537

Web Site: www.gfsequipment.com • Email: services@gfsequipment.com

* Prices subject to change without notice.

Warmers

	Model	Width	Depth	Height	Shipping Weight	Electrical Specs	Capacity	HowTo Specify	Price
 GHM4	GHM4 Full Serve	44-1/4" (1,124 mm)	39-9/16" (929 mm)	24-13/16" (631 mm)	449 lbs (204 kg)	208V (12A) 240V (13A) 1-Ph	(3) 1/3-Size Pans (3) Full-Size Pans (**)	4-Ft Heated Merchandiser	\$9,476.00
	GHM4 Self-Serve (SS)	44-1/4" (1,124 mm)	39-9/16" (929 mm)	24-13/16" (631 mm)	449 lbs (204 kg)	208V (12A) 240V (13A) 1-Ph	(3) 1/3-Size Pans (3) Full-Size Pans (**)	4-Ft Heated Merchandiser	\$9,476.00
 GHM6	GHM6 Full Serve	70-3/16" (1,783 mm)	39-9/16" (929 mm)	24-13/16" (631 mm)	621 lbs (282 kg)	208V (17A) 240V (20A) 1-Ph	(5) 1/3-Size Pans (5) Full-Size Pans (**)	6-Ft Heated Merchandiser	\$12,605.00
	GHM6/2 Self Serve (2-ft of SS)	70-3/16" (1,783 mm)	39-9/16" (929 mm)	24-13/16" (631 mm)	621 lbs (282 kg)	208V (17A) 240V (20A) 1-Ph	(5) 1/3-Size Pans (5) Full-Size Pans (**)	6-Ft Heated Merchandiser	\$12,605.00
 GHM8	GHM8 Full Serve	96-1/8" (2,442 mm)	39-9/16" (929 mm)	24-13/16" (631 mm)	818 lbs (371 kg)	208V (31A) 240V (35A) 1-Ph	(7) 1/3-Size Pans (7) Full-Size Pans (**)	8-Ft Heated Merchandiser	\$16,274.00
	GHM8/2 Self Serve (2-ft of SS)	96-1/8" (2,442 mm)	39-9/16" (929 mm)	24-13/16" (631 mm)	818 lbs (371 kg)	208V (31A) 240V (35A) 1-Ph	(7) 1/3-Size Pans (7) Full-Size Pans (**)	8-Ft Heated Merchandiser	\$16,274.00
	GHU 24x67-S	24" (610 mm)	31-11/16" (805 mm)	66-9/32" (1,683 mm)	425 lbs (193 kg)	120V/60Hz (12A) 230V/50Hz (6A) 1-Ph	(13) 18" x 26" (457x660 mm) Sheet Pans (**)	24x67 Holding Unit - Single Door	\$7,000.00
	GHU 24x67-PT	24" (610 mm)	33-13/16" (859 mm)	66-9/32" (1,683 mm)	425 lbs (193 kg)	120V/60Hz (12A) 230V/50Hz (6A) 1-Ph	(13) 18" x 26" (457x660 mm) Sheet Pans (**)	24x67 Holding Unit - Pass-Thru Doors	\$7,900.00
	GHU 24x30-S	24-1/16" (612 mm)	31-11/16" (805 mm)	35-1/4" (895 mm)	216 lbs (98 kg)	120V/60Hz (12A) 230V/50Hz (6A) 1-Ph	(5) 18" x 26" Sheet Pans (**)	24x30 Holding Unit - Single Door	\$4,900.00
	GHU 24x30-PT	24-1/16" (612 mm)	33-13/16" (859 mm)	35-1/4" (895 mm)	256 lbs (116 kg)	120V/60Hz (12A) 230V/50Hz (6A) 1-Ph	(5) 18" x 26" Sheet Pans (**)	24x30 Holding Unit - Pass-Thru Doors	\$5,900.00
	GHU 24x30-D	24-1/16" (612 mm)	31-11/16" (805 mm)	65-1/4" (1,658 mm)	432 lbs (196 kg)	120V/60Hz (12A) 230V/50Hz (6A) 1-Ph (per unit)	(10) 18" x 26" Sheet Pans (**)	24x30 Double Stack Holding Unit - Single Door	\$9,500.00
	GHU 24x30-D-PT	24-1/16" (612 mm)	33-13/16" (860 mm)	65-1/4" (1,658 mm)	512 lbs (232 kg)	120V/60Hz (12A) 230V/50Hz (6A) 1-Ph (per unit)	(10) 18" x 26" Sheet Pans (**)	24x30 Double Stack Holding Unit - Pass-Thru Doors	\$10,500.00
	GHU 26.5x30-S	26-3/4" (680 mm)	31-11/16" (805 mm)	35-1/4" (895 mm)	216 lbs (98 kg)	120V/60Hz (12A) 230V/50Hz (6A) 1-Ph	(5) 18" x 26" or (10) 13" x 18" Sheet Pans (**)	24x30 Holding Unit - Single Door	\$5,400.00
	GHU 26.5x30-PT	26-3/4" (680 mm)	33-13/16" (860 mm)	35-1/4" (895 mm)	256 lbs (116 kg)	120V/60Hz (12A) 230V/50Hz (6A) 1-Ph	(5) 18" x 26" or (10) 13" x 18" Sheet Pans (**)	26.5x30 Holding Unit - Pass-Thru Doors	\$6,100.00
	GHU 26.5x30-D	24-3/4" (680 mm)	31-11/16" (805 mm)	65-1/4" (1,658 mm)	432 lbs (196 kg)	120V/60Hz (12A) 230V/50Hz (6A) 1-Ph (per unit)	(10) 18" x 26" or (20) 13" x 18" Sheet Pans (**)	26.5x30 Double Stack Holding Unit - Single Door	\$10,700.00
	GHU 26.5x30-D-PT	26-3/4" (680 mm)	33-13/16" (860 mm)	65-1/4" (1,658 mm)	512 lbs (232 kg)	120V/60Hz (12A) 230V/50Hz (6A) 1-Ph (per unit)	(10) 18" x 26" or (20) 13" x 18" Sheet Pans (**)	26.5x30 Double Stack Holding Unit - Pass-Thru Doors	\$10,900.00

We reserve the right to change specifications and/or product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.

Giles Foodservice Equipment

ISO 9001 Registered Company • Committed to Quality

2750 Gunter Park Drive West • Montgomery, AL 36109 USA

Phone 334.272.1457 • Fax 334.239.4117 • Phone Toll Free 800.554.4537

Web Site: www.gfsequipment.com • Email: services@gfsequipment.com

* Prices subject to change without notice.

(**) Pans not included, must be ordered separately.

Printed in U.S.A. (07/21/10) Form 65757

Rotisseries

RT-5



RT-5-HC
(Cabinet Only)

Model	Width	Depth	Height	Shipping Weight	Electrical Specs	Capacity	How To Specify	Price
RT-5	34-1/4" (870 mm)	25-1/16" (639 mm)	36-3/4" (934 mm)	321 lbs (146 kg)	208/240V 50/60 Hz 208V (6,160 Watts) 240V (7,000 Watts) 1-Ph: 11 A 3-Ph: 17 A	20 Chickens 2-3/4 lbs (1 kg)	RT-5	\$10,900.00 with Baskets \$10,900.00 with Spits
RT-5-HC	34 3/8" 873mm	26 1/4" 667mm	41 3/8" 1050mm	341 lbs 155 kg	120/240V, 1-Ph 50/60 Hz 1,290 Watts 120V: 11 A 240V: 6 A	27 Whole Chickens 2-3/4 lbs (1 kg)	RT-5-HC	\$6,219.00 with Flange

Deli Equipment

GOC



BBT



PBBT



LT



LT-PT



Model	Width	Depth	Height	Shipping Weight	Capacity	How To Specify	Price
GOC	20" (508 mm)	17" (432 mm)	43-1/4" (1,099 mm)	67 lbs (29 kg)	80 lbs of Shortening (36 kg)	Oil Caddy	\$1,700.00
BBT	24" (610 mm)	30" (762 mm)	54-1/8" (1,375 mm)	209 lbs (95 kg)	(2) 12x20x8 Pans 13-1/2"x6-1/2" Dunk Basket	BBT	\$2,993.00
PBBT	16" (405 mm)	25-1/4" (641 mm)	23-7/8" (606 mm)	50 lbs (23 kg)	(2) 12x10x6 Pans	Portable Table Top BBT	\$1,340.00
CBBT (Not Shown)	24" (610 mm)	30" (762 mm)	28-9/32" (718 mm)	63 lbs (29 kg)	(2) 12x20x8 Pans 13-1/2"x6-1/2" Dunk Basket	Counter Top BBT	\$1,912.00
LT	23-3/16" (590 mm)	26-5/16" (669 mm)	36-3/8" (924 mm)	35 lbs (16 kg)	N/A	Portable Landing Table	\$1,149.00
LT-PT	25-31/32" (659 mm)	Table: 20-23/32" (526 mm) Pull-Out: 17-1/8" (435 mm)	30-3/32" (764 mm)	79 lbs (36 kg)	N/A	Portable Landing Table LT-PT (with Pull-out Shelf)	\$2,073.00
LT-OTF (Not Shown)	25-31/32" (659 mm)	Table: 20-23/32" (526 mm) Pull-Out: 17-1/8" (435 mm)	49-5/32" (1,249 mm)	101 lbs (46 kg)	N/A	Portable Landing Table LT-OTF (with Pull-out Shelf & Label Dispenser Rack)	\$2,534.00

* Prices subject to change without notice.

(**) Pans not included, must be ordered separately.

Giles Foodservice Equipment

ISO 9001 Registered Company • Committed to Quality

2750 Gunter Park Drive West • Montgomery, AL 36109 USA

Phone 334.272.1457 • Fax 334.239.4117 • Phone Toll Free 800.554.4537

Web Site: www.gfsequipment.com • Email: services@gfsequipment.com

Printed in U.S.A. (07/21/10) Form 65757