



OVH-10



PO-VH



FSH-2



FSH-2A-99















FSH-3.5&4



FSH-5&6

### Ventless Hoods (Recirculating Systems)

Model	Width	Depth	Height	Shipping Weight	Electrical Specs	How To Specify	Price
OVH-10 OVH-10-UV 	36" 915 mm	40 9/16" 1030 mm	21 5/16" 542 mm	222 lbs 101 kg	208/240V 2 Amps 1 Phase	Consult factory for list of approved ovens	\$5,933.00 \$6,798.00 
PO-VH PO-VH-UV 	60 7/16" 1535 mm	41 5/8" 1058 mm	24 13/16" 630 mm	335 lbs 177 kg	208/240V 5 Amps 1 Phase	Consult factory for list of approved ovens	\$6,619.00 \$7,484.00 
FSH-2 FSH-2-UV 	29 11/16" 754 mm	30 1/4" 768 mm	83 3/4" 2128 mm	447 lbs 202 kg	208/240V 5 Amps 1 Phase	Consult factory for application	\$11,415.00 \$12,280.00 
FSH-2A99 FSH-2A99-UV 	29 11/16" 754mm	38 3/4" 984mm	98 1/2" 2503 mm	535 lbs 243 kg	208/240V 5 Amps 1 Phase	Consult factory for application	\$15,051.00 \$15,916.00 
FSH-3.5 w/72" stand w/78" stand	42-11/16" [1084 mm]	49-11/16" [1263 mm]	76-5/16" [1938 mm] 111-3/8" [2829 mm] 117-3/8" [2981 mm]	520 lbs [236 kg] 560 lbs [254 kg] 590 lbs [268 kg]	208/240V 8 Amps 1 Phase	Consult factory for application Specify Ceiling Mount 72" Stand 78" Stand	\$17,498.00
FSH-4 w/72" stand w/78" stand	48" [1219 mm]	49-11/16" [1263 mm]	76-5/16" [1938 mm] 111-3/8" [2829 mm] 117-3/8" [2981 mm]	550 lbs [249 kg] 590 lbs [268 kg] 620 lbs [281 kg]	208/240V 8 Amps 1 Phase	Consult factory for application Specify Ceiling Mount 72" Stand 78" Stand	\$18,108.00
FSH-5 w/72" stand w/78" stand FSH-5-UV 	60 1/2" [1537 mm]	49 5/8" [1260 mm]	75" [1905 mm] 109-1/4" [2775 mm] 115-1/4" [2927 mm]	664 lbs [302 kg] 714 lbs [324 kg] 744 lbs [337 kg]	208/240V 7 Amps 1 Phase	Consult factory for application Specify Ceiling Mount 72" Stand 78" Stand	\$19,146.00 \$20,876.00 
FSH-6 w/72" stand w/78" stand FSH-6-UV 	72 11/16" [1855 mm]	49 5/8" [1260 mm]	75" [1905 mm] 109-1/4" [2775 mm] 115-1/4" [2927 mm ]	733 lbs [353 kg] 783 lbs [355 kg] 813 lbs [369 kg]	208/240V 7 Amps 1 Phase	Consult factory for application Specify Ceiling Mount 72" Stand 78" Stand	\$19,787.00 \$21,517.00 

## Giles Foodservice Equipment

An ISO 9001 Registered Company

2750 Gunter Park Drive West • Montgomery, AL 36109 USA

Phone 334.272.1457 • Fax 334.272.3518 • Phone Toll Free 1.800.554.4537





Web Site: [www.gilesent.com](http://www.gilesent.com) • Email: [info@gilesent.com](mailto:info@gilesent.com)

We reserve the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements on previously purchased equipment.

## Environmental Hoods (Non-Recirculating Systems)



EH-5&6

Model	Width	Depth	Height	Shipping Weight	Electrical Specifications	How to Specify	Price
EH-5 EH-5-UV 	60 11/16" 1547 mm	42 1/8" 1071 mm	33" min 838 mm 42" max 1067 mm to cooking surface	664 lbs 302 kg	208/240V 8/8 Amps 1 Phase	Consult factory for application	\$15,946.00  \$17,676.00 
EH-6 EH-6-UV 	72 11/16" 1846 mm	42 1/8" 1071 mm	33" min 838 mm 42" max 1067 mm to cooking surface	664 lbs 302 kg	208/240V 8/8 Amps 1 Phase	Consult factory for application	\$16,667.00  \$18,397.00 

## Gas Fryers



GGF-Series

Model	Width	Depth	Height	Shipping Weight	Electrical Specs	Capacity	How to Specify	Price
GGF-400	24-3/8" 619 mm	42-1/8" 1070 mm	44-1/8" 1120 mm	390 lbs. 177 kg	120/60/1 7A 208-230/60/1 4A	14 lbs./6 kg Chicken (40 pcs) 45 lbs/21 kg Shortening	Medium open gas fryer 45,000 BTU	\$15,661.00
GGF-720	24-3/8" 619 mm	42-1/8" 1070 mm	44-1/8" 1120 mm	390 lbs. 177 kg	120/60/1 7A 208-230/60/1 4A	24 lbs./11 kg Chicken (72 pcs) 75 lbs/34 kg Shortening	Large open gas fryer 85,000 BTU	\$16,594.00

## Multi Purpose Fryers



WOG-20MP



WOG-MP

Model	Width	Depth	Height	Shipping Weight	Electrical Specs	Capacity	How To Specify	Price
WOG-20MP	18 1/8" 461mm	27 1/2" 699mm	44 1/4" 1124mm	283 lbs 128 kg	208/220/240V 50 or 60 Cycle 5335 Watts 1Ph 29/27/25 A	25 lbs of Shortening 12 kg	Small Open Fryer	\$9,582.00
WOG-MP Mechanical or Computer Control	24" 610mm	32 5/16" 821mm	45 3/4" 1162mm	335 lbs 152 kg	208/220/240/380/415V 50 or 60 Cycle 20,400Watts 1Ph 208/240V-96/83A 3Ph 208/220/240/380 415V- 58/53/50/30/28A	70 lbs of Shortening 32 kg	Large Open Fryer	\$13,709.00 Mechanical  \$14,648.00 Computer

## Giles Foodservice Equipment

An ISO 9001 Registered Company

2750 Gunter Park Drive West • Montgomery, AL 36109 USA

Phone 334.272.1457 • Fax 334.272.3518 • Phone Toll Free 1.800.554.4537

Web Site: [www.gilesent.com](http://www.gilesent.com) • Email: [info@gilesent.com](mailto:info@gilesent.com)

We reserve the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements on previously purchased equipment.

## Fryers



\*EOF 20/FFLT/24



\*EOF 20/FFLT/24/24



\*EOF 10-10/FFLT/24/24



GEF-Series

Model	Width	Depth	Height	Shipping Weight	Electrical Specs	Capacity	How To Specify	Price
EOF/FFLT/14 (not shown)	30-3/4" 781 mm	34" 864 mm	46" 1168 mm	462 lbs 212 kg	(EOF-14) 208V 3 Ph 52 Amps 240V 3 Ph 46 Amps 480V 3 Ph 25 Amps	(EOF-14) Shortening per fryer 50 lbs 23 kg	Medium single bank fryer w/ landing table	\$25,414.00 (208/240V) \$25,668.00 (480V)
EOF-20/20 (not shown)	42 1/2" 1080 mm	42 5/8" 1083 mm	48 3/4" 1239 mm	884 lbs 401 kg	(EOF-20) 208V 3 Ph 76 Amps 240V 3 Ph 66 Amps	(EOF-20) Shortening per fryer 115 lbs 52 kg	Large 2 bank fryer w/o landing table	\$26,902.00 (208/240V)
EOF-20 FFLT/24	73 1/2" 1867 mm	42 5/8" 1083 mm	48 3/4" 1239 mm	1069 lbs 485 kg	(EOF-24) 208V 3 Ph 100 Amps 240V 3 Ph 87 Amps 480V 3 Ph 43 Amps	(EOF-24) Shortening per fryer 170 lbs 77 kg	Large 2 bank fryer w/landing table	\$29,926.00 (208/240V) \$30,371.00 (480V)
EOF-20/24/24	72" 1829 mm	42 5/8" 1083 mm	48 3/4" 1239 mm	1069 lbs 485 kg	(EOF-24) 208V 3 Ph 100 Amps 240V 3 Ph 87 Amps 480V 3 Ph 37 Amps	(EOF-24) Shortening per fryer 170 lbs 77 kg	Large 3 bank fryer w/o landing table	\$38,049.00 (208/240V) \$38,429.00 (480V)
EOF-20 FFLT/24/24	98 13/16" 2510 mm	42 5/8" 1083 mm	48 3/4" 1239 mm	1311 lbs 595 kg	(EOF-24) 208V 3 Ph 100 Amps 240V 3 Ph 87 Amps 480V 3 Ph 37 Amps	(EOF-24) Shortening per fryer 170 lbs 77 kg 67 gal	Large 3 bank fryer w/landing table	\$39,968.00 (208/240V) \$40,385.00 (480V)
EOF-10-10 FFLT/24	73-1/2" 1867 mm	42-5/8" 1083 mm	48-3/4" 1239 mm	1069 lbs 485 kg	(EOF-10-10) 208V 3Ph 68 Amps 240V 3Ph 59 Amps 480V 3Ph 31 Amps	EOF-10-10) Shortening per vat 55 lbs 25 kg	Large 2 bank 3 vat fryer w/landing table	\$32,956.00 (208/240V) \$33,195.00 (480V)
EOF-10-10 FFLT/24/24	98-13/16" 2510 mm	42-5/8" 1083 mm	48-3/4" 1239 mm	1311 lbs 595 kg	(EOF-10-10) 208V 3Ph 68 Amps 240V 3Ph 59 Amps 480V 3Ph 31 Amps	( EOF-10-10) Shortening per vat 55 lbs 25 kg	Large 3 bank 4 vat w/landing table	\$43,955.00 (208/240V) \$44,368.00 (480V)
GEF-400	25 1/16" 612mm	38 7/8" 988mm	43-7/16" 1104mm	464 lbs 211kg	208/220/240/380/415V 10,000 Watts 50 or 60 Cycle 1 Ph 208/240 48/42 Amps 3 Ph 208/240 28/24 Amps 3 Ph 220 25 Amps 3 Ph 380/415 14/14 Amps	45 lbs Shortening 21 kg	Medium Chicken Fryer	\$12,974.00
GEF-560	25 1/16" 612mm	38 7/8" 988mm	43-7/16" 1104mm	464 lbs 211kg	208/220/240/380/415V 15,000 Watts 50 or 60 Cycle 1 Ph 208/240 72/63 Amps 3 Ph 208/240 43/38 Amps 3 Ph 220 38 Amps 3 Ph 380/415 21 Amps	60 lbs Shortening 27 kg	Intermediate Chicken Fryer	\$13,821.00
GEF-720	25 1/16" 612mm	38 7/8" 988mm	43-7/16" 1104mm	464 lbs 211kg	208/220/240/380/415V 20,400 Watts 50 or 60 Cycle 3 Ph 208/240 58/49 Amps 3 Ph 220 49 Amps 3 Ph 380/415 28 Amps 3 Ph 480 25 Amps	75 lbs Shortening 34 kg	Large Chicken Fryer	\$14,856.00

\* Note: Power and Capacity requirements are for each fry pan in the banked unit. Separate service disconnect is required for each fry pan.

### Giles Foodservice Equipment An ISO 9001 Registered Company

2750 Gunter Park Drive West • Montgomery, AL 36109 USA

Phone 334.272.1457 • Fax 334.272.3518 • Phone Toll Free 1.800.554.4537

Web Site: [www.gilesent.com](http://www.gilesent.com) • Email: [info@gilesent.com](mailto:info@gilesent.com)

We reserve the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements on previously purchased equipment.

# GILES

FOODSERVICE EQUIPMENT













WOG-MP-VH

GEF-Series-VH



## Ventless Fryers

Model	Width	Depth	Height	Shipping Weight	Electrical Specifications	Capacity	How to Specify	Price
WOG 20MP-VH	18-1/8" 461 mm	29-5/16" 745 mm	81" 2058 mm	455 lbs 207 kg	208/240V 30/25 Amp 1 Phase only 6200 Watts	25 lbs of shortening 12 kg	Small open ventless fryer	\$18,503.00
WOG 20MP-VH-UV 								\$19,368.00 
WOG MP-VH	24-1/8" 613 mm	33-7/16" 849 mm	84" 2133 mm	602 lbs 274 kg	208/240V 1ph 98/85A 3ph 58/50A 50/60cycles 20,400 Watts	70 lbs of shortening 32 kg	Large, open, ventless fryer	\$21,950.00 manual timer \$23,346.00 computer
WOG MP-VH-UV 								\$22,815.00 manual timer \$24,211.00 computer 
GEF 400-VH	24-1/4" 616mm	41-13/16" 1062mm	84" 2133mm	720 lbs 327 kg	208/220/240 & 380/415V 50/60 cycles 1ph 208/240 - 50/44A 3ph 208/240 - 30/26A 3ph 220V - 26A 3ph 380/415 - 15/15A 10,400 Watts	14lb/6kg of chicken (40 pcs) 45 lbs of shortening 21 kg	Medium open ventless fryer	\$23,392.00
GEF 400-VH-UV 								\$24,257.00 
GEF 560-VH	24-1/4" 616mm	41-13/16" 1062mm	84" 2133mm	720 lbs 327 kg	208/220/240 & 380/415V 50/60 cycles 1ph 208/240 - 75/64A 3ph 208/240 - 44/38A 3ph 220V - 38A 3ph 380/415 - 21/22A 15,400 Watts	19lb/9kg of chicken (56 pcs) 60 lbs of shortening 27 kg	Intermediate open ventless fryer	\$24,155.00
GEF 560-VH-UV 								\$25,020.00 
GEF 720-VH	24-1/4" 616mm	41-13/16" 1062mm	84" 2133mm	720 lbs 327 kg	208/220/240 & 380/415V 50/60 cycles 3ph 208/240 - 58/56A 3ph 380/415 - 28/28A 3ph 480V - 25A 20,400 Watts	24lb/11kg of chicken (72 pcs) 75 lbs of shortening 34 kg	Large open ventless fryer	\$26,004.00
GEF 720-VH-UV 								\$26,869.00 

**Giles Foodservice Equipment**  
An ISO 9001 Registered Company

















2750 Gunter Park Drive West • Montgomery, AL 36109 USA

Phone 334.272.1457 • Fax 334.272.3518 • Phone Toll Free 1.800.554.4537

Web Site: [www.gilesent.com](http://www.gilesent.com) • Email: [info@gilesent.com](mailto:info@gilesent.com)

We reserve the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements on previously purchased equipment.

## Warmers

Model	Width	Depth	Height	Shipping Weight	Electrical Specs	Capacity	How To Specify	Price
 GHM4	44 1/4" 1124 mm	39 9/16" 929 mm	24 13/16" 631 mm	449 lbs. 209 kg	208V 12 Amps 240V 13 Amps 1 Phase	3 third size pans 3 full size pans **	4ft. heated merchandiser	\$9,200.00
 GHM4 SS self service	44 1/4" 1124 mm	39 9/16" 929 mm	24 13/16" 631 mm	449 lbs. 209 kg	208V 12 Amps 240V 13 Amps 1 Phase	3 third size pans 3 full size pans **	4ft. heated merchandiser	\$9,200.00
 GHM6	70 3/16" 1783 mm	39 9/16" 929 mm	24 13/16" 631 mm	621 lbs. 282 kg	208V 17 Amps 240V 20 Amps 1 Phase	5 third size pans 5 full size pans **	6ft. heated merchandiser	\$12,238.00
 GHM6/2 self service	70 3/16" 1783 mm	39 9/16" 929 mm	24 13/16" 631 mm	621 lbs. 282 kg	208V 17 Amps 240V 20 Amps 1 Phase	5 third size pans 5 full size pans **	6ft. heated merchandiser	\$12,238.00
 GHM8	96 1/8" 2442 mm	36 9/16" 929 mm	24 13/16" 631 mm	818 lbs. 372 kg	208V 31 Amps 240V 35 Amps 1 Phase	7 third size pans 7 full size pans **	8ft. heated merchandiser	\$15,800.00
 GHM8/2 self service	96 1/8" 2442 mm	36 9/16" 929 mm	24 13/16" 631 mm	818 lbs. 372 kg	208V 31 Amps 240V 35 Amps 1 Phase	7 third size pans 7 full size pans **	8ft. heated merchandiser	\$15,800.00
 GHU-24X67-S	24" 610 mm	31-11/16" 805 mm	66-9/32" 1683 mm	425 lbs. 341 kg	120V/60 12A 230V/50 6A	13 18"x26" 457mmx660mm sheet pans **	24x67 holding unit single entry door	\$7,900.00
 GHU-24X67-PT	24" 610 mm	33-13/16" 858 mm	66-9/32" 1683 mm	425 lbs. 341 kg	120V/60 12A 230V/50 6A	13 18"x26" 457mmx660mm sheet pans **	24x67 holding unit pass thru doors	\$8,800.00
 GHU 24x30-S	24-1/16" 612mm	31-11/16" 805mm	35-1/4" 895 mm	216 lbs 98 kg	120V/60/1 12 Amp 230V/50/1 6 Amp	(5) 18"x26" pans **	Single door holding unit	\$5,600.00
 GHU 24x30-PT	24-1/16" 612mm	33-13/16" 860mm	35-1/4" 895 mm	256 lbs 116 kg	120V/60/1 12 Amp 230V/50/1 6 Amp	(5) 18"x26" pans **	Double door Pass through Holding unit	\$6,500.00
 GHU 24x30-D	24-1/16 " 612mm	31-11/16" 805mm	65-1/4" 1658 mm	432 lbs 196 kg	120V/60/1 (2) 12 Amp 230V/50/1 (2) 6 Amp	(10) 18"x26" pans **	Double stack Single door holding unit	\$11,900.00
 GHU-24x30-D-PT	24-1/16" 612mm	33-13/16" 860mm	65-1/4" 1658 mm	512 lbs 232 kg	120V/60/1 (2) 12 Amp 230V/50/1 (2) 6 amp	(10) 18"x26" pans **	Double stack Double door Pass through holding unit	\$12,800.00
 GHU-24X67-S	26-3/4" 680mm	31-11/16" 805mm	35-1/4" 895 mm	216 lbs 98 kg	120V/60/1 12 Amp 230V/50/1 6Amp	(5) 18"x26" or (10) 13"x18" *pans*	Single door holding unit	\$5,800.00
 GHU 26.5x30-PT	26-3/4" 680mm	33-13/16" 860mm	35-1/4" 895 mm	256 lbs 116 kg	120V/60/1 12Amp 230V/50/1 6 Amp	(5) 18"x26" or (10) 13"x18" *pans*	Double door Pass through Holding unit	\$6,700.00
 GHU 26.5x30-D	26-3/4 " 680mm	31-11/16" 805mm	65-1/4" 1658 mm	432 lbs 196 kg	120V/60/1 (2) 12 Amp 230V/50/1 (2) 6 Amp	(10) 18"x26" or (20) 13"x18" pans*	Double stack Single door holding unit	\$12,400.00
 GHU-26.5x30-D-PT	26-3/4" 680mm	33-13/16" 860mm	65-1/4" 1658 mm	512 lbs 232 kg	120V/60/1 (2) 12 Amp 230V/50/1 (2) 6 Amp	(10) 18"x26" or (20) 13"x18" pans*	Double stack Double door Pass through holding unit	\$13,300.00

We reserve the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements on previously purchased equipment.

### Giles Foodservice Equipment

An ISO 9001 Registered Company

2750 Gunter Park Drive West • Montgomery, AL 36109 USA  
 Phone 334.272.1457 • Fax 334.272.3518 • Phone Toll Free 1.800.554.4537  
 Web Site: [www.gilesent.com](http://www.gilesent.com) • Email: [info@gilesent.com](mailto:info@gilesent.com)

\*Prices subject to change without notice.

\*\* Pans not included, must be ordered separately.



RT-5



RT-5-HC  
Cabinet only

### Rotisseries

Model	Width	Depth	Height	Shipping Weight	Electrical Specs	Capacity	How To Specify	Price
RT-5	34 1/4" 870mm	25 1/16" 639mm	36 3/4" 934mm	321 lbs 146 kg	208/240V 50 or 60 Cycle 208V 6160 Watts 240V 7000 Watts 1 Ph 11 Amps 3 Ph 17 Amps	20 Chickens 2 3/4 lbs 1 kg	RT-5	\$11,900.00 with baskets \$10,900.00 with spits
RT-5-HC	34 3/8" 873mm	26 1/4" 667mm	41 3/8" 1050mm	341 lbs 155 kg	120/240 1 Ph 50 or 60 Cycles 1290 Watts 120V 11 Amps 240V 6 Amps	27 whole chickens 2 3/4 lbs 1 kg	RT-5-HC	\$6,219.00 with flange

### Deli Equipment

Model	Width	Depth	Height	Shipping Weight	Capacity	How To Specify	Price
GOC	20" 508 mm	17" 432 mm	43-1/4" 1099 mm	67 lbs 29 kg	80 lbs of shortening 36 kg	Oil Caddy	\$1,650.00
BBT	24" 610 mm	30" 762 mm	54-1/8" 1375 mm	209 lbs 95 kg	12x20x8(2) Pans 13-1/2"x6-1/2" Dunk Basket	BBT	\$2,906.00
PBBT	16" 405 mm	25-1/4" 641 mm	23-7/8" 606 mm	50 lbs 227 kg	12x10x6(2)	Portable Table Top BBT	\$1,301.00
CBBT	24" 610 mm	30" 762 mm	28-9/32" 718 mm	63 lbs 29 kg	12x20x8(2) Pans 13-1/2"x6-1/2" Dunk Basket	Counter Top BBT	\$1,856.00
LT	23-3/16" 590 mm	26-5/16" 669 mm	36-3/8" 924 mm	35 lbs 16 kg	N/A	Portable Landing Table	\$1,116.00
LT-PT	35-31/32" 659 mm 51-3/16" 1300 mm extended	20-23/32" 526 mm	30-3/32" 764 mm	79 lbs 36 kg	N/A	Portable Landing Table LT-PT	\$2,013.00
LT-OTF	35-31/32" 659 mm 51-3/16" 1300 mm extended	20-23/32" 526 mm	49-5/32" 1249 mm	101 lbs 46 kg	N/A	Portable Landing Table LT-OTF (with label rack)	\$2,460.00



GOC



BBT



PBBT



LT



LT-PT

\*Prices subject to change without notice.

\*\* Pans not included, must be ordered separately.

### Giles Foodservice Equipment

An ISO 9001 Registered Company

2750 Gunter Park Drive West • Montgomery, AL 36109 USA

Phone 334.272.1457 • Fax 334.272.3518 • Phone Toll Free 1.800.554.4537

Web Site: [www.gilesent.com](http://www.gilesent.com) • Email: [info@gilesent.com](mailto:info@gilesent.com)

Printed in U.S.A. 11/18/09 Form 65757